

# in accordance with EPA and WORKSAFE regulations

Print date: 18.08.2023 Revision date: 18.08.2023

# 1 Identification of the substance or mixture and of the supplier

Product Name: MAXISIL MEMBRANE
Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Silicone sealant

**Details of Importer:** 

Tilers Mate 33 Fairfax Avenue,

Penrose, Auckland, New Zealand

**Details of Manufacturer:** 

Maxisil

55 Lakewood Boulevard Carrum Downs VIC 3201

Australia

Phone Number: +64 8 0085 6283

Emergency telephone number: +64 8 0085 6283

### 2 Hazards identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Health and Safety at Work (Hazardous Substances) Regulations 2017, New Zealand. Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2020 Transport of Dangerous Goods on Land.



Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Sensitisation 1 H317 May cause an allergic skin reaction.

# Signal Word Warning

### **Hazard Statements**

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary Statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)

# in accordance with EPA and WORKSAFE regulations

Print date: 18.08.2023 **Product** Revision date: 18.08.2023

Name: MAXISIL MEMBRANE

(Contd. of page 1)

<5%

# 3 Composition/Information on ingredients

**Chemical Characterization: Mixtures** 

**Description:** Mixture of substances listed below with nonhazardous additions.

Hazardous Compor		
CAS: 37859-55-5	2-Pentanone, O,O',O"-(methylsilylidyne)trioxime	<5%
	♦ STOT RE 2, H373; ♦ Eye Irritation 2, H319; Aquatic Chronic 3, H412	
CAS: 1170315-90-8	2-Pentanone, O,O',O"-(phenylsilylidyne)trioxime	<2.5%
	♦ Acute Toxicity (Oral) 4, H302; Eye Irritation 2, H319	
CAS: 919-30-2	3-Aminopropyltriethoxysilane	<1%
	Skin Corrosion/Irritation 1C, H314; Eye Damage 1, H318;  Acute Toxicity (Oral) 4, H302	
CAS: 26530-20-1	2-Octyl-2H-isothiazol-3-one	<0.1%
	Acute Toxicity (Dermal) 3, H311; Acute Toxicity (Inhalation) 3, H331; Skin Corrosion/Irritation 1C, H314; Eye Damage 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317	

# Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

4 First aid measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

#### Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

## **Eye Contact:**

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

## Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

# Symptoms Caused by Exposure:

Inhalation: No adverse health effect expected.

Skin Contact: May cause skin irritation. May cause an allergic skin reaction.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

## 5 Fire fighting measures

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### **Specific Hazards Arising from the Chemical:**

Hazardous combustion products include unidentified potentially toxic gases.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

# in accordance with EPA and WORKSAFE regulations

Print date: 18.08.2023 **Product** Revision date: 18.08.2023

Name: MAXISIL MEMBRANE

(Contd. of page 2)

# 6 Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away. Take care as spill may cause a slip hazard.

## **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

# Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

# 7 Handling and storage

### **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat and direct sunlight.

# 8 Exposure controls/personal protection

#### **Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

#### **Skin Protection:**

Natural rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### **Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 Physical and chemical properties

Appearance:

Form: Past

**Colour:** According to product specification

Odour: Characteristic

Odour Threshold: No information available pH-Value: No information available

(Contd. on page 4)

## in accordance with EPA and WORKSAFE regulations

Print date: 18.08.2023 **Product** Revision date: 18.08.2023

Name: MAXISIL MEMBRANE

(Contd. of page 3)

Melting point/freezing point:
Initial Boiling Point/Boiling Range:
Flash Point:

No information available
No information available
No information available

Flammability (solid, gas): Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

**Explosion Limits:** 

Lower:
Upper:
No information available
Vapour Pressure:
No information available
No information available
No information available
Vapour Density:
No information available
Evaporation Rate:
No information available

Solubility in Water: Insoluble

**Partition Coefficient (n-octanol/water):** No information available **Viscosity:** No information available

## 10 Stability and reactivity

**Possibility of Hazardous Reactions:** No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat and direct sunlight.

**Incompatible Materials:** No further relevant information available.

Hazardous Decomposition Products: Unidentified potentially toxic gases.

# 11 Toxicological information

### **Toxicity:**

LD50/LC50 Values:		
CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-one		
Oral	LD50	550 mg/kg (Rattus norvegicus (rat))
Dermal	LD50	4.22 mg/kg (Rattus norvegicus (rat))
Inhalation	LC50/4 h	0.58 mg/l (Rattus norvegicus (rat))

## Acute Health Effects

Inhalation: No adverse health effects expected.

**Skin:** May cause skin irritation. May cause an allergic skin reaction.

Eye: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

## Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

## in accordance with EPA and WORKSAFE regulations

Print date: 18.08.2023 **Product** Revision date: 18.08.2023

Name: MAXISIL MEMBRANE

(Contd. of page 4)

## Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

# 12 Ecological information

#### **Ecotoxicity:**

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

# 13 Disposal considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

## **Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

## 15 Regulatory information

## **HSNO Approval Code / Group Standard:**

Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020

HSNO Approval Number: HSR002670

New Zealand Inventory of Chemicals All ingredients are listed.

# 16 Other information

Date of Preparation or Last Revision: 18.08.2023

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

## Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

# in accordance with EPA and WORKSAFE regulations

Print date: 18.08.2023 **Product** Revision date: 18.08.2023

Name: MAXISIL MEMBRANE

(Contd. of page 5)

WES: Workplace Exposure Standard
Acute Toxicity (Oral) 4: Acute toxicity – Category 4
Acute Toxicity (Dermal) 3: Acute toxicity – Category 3
Skin Corrosion/Irritation 1C: Skin corrosion/Irritation – Category 1C
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Eye Irritation 2: Serious eye damage/eye irritation – Category 2
Skin Sensitisation 1: Skin sensitisation, Hazard Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

#### Disclaimer

This SDS is prepared in accord with the New Zealand Chemical Industry Council document 'Code of Practice (No. HSNO CoP 8-1 09-06)' and Hazardous Substances (Safety Data Sheets) Notice 2020.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Tillers Mate makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.