

Safety Data Sheet according to WHS Regulations

Revision date: 17.08.2023

1 Identification

Print date: 17.08.2023

Product Name: MAXISIL POOL

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Silicone sealant

Details of Manufacturer or Importer:

Maxisil

55 Lakewood Boulevard Carrum Downs VIC 3201

Phone Number: 1300 157 207

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Signal Word Warning

Hazard Statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 37859-55-5 2-Pentanone, O,O',O"-(methylsilylidyne)trioxime

<5%

Acute Toxicity (Oral) 4, H302; Eye Irritation 2A, H319; Aquatic Chronic 3, H412

according to WHS Regulations

Print date: 17.08.2023 **Product** Revision date: 17.08.2023

Name: MAXISIL POOL

(Contd. of page 1) CAS: 128446-60-6 Silsesquioxanes, 3-aminopropyl methyl, ethoxy terminated <2.5% Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319 CAS: 870-08-6 dioctyltin oxide <1% 🕸 Toxic To Reproduction 2. H361d: STOT RE 1. H372 CAS: 919-30-2 3-Aminopropyltriethoxysilane <1% Skin Corrosion/Irritation 1B, H314; (1) Acute Toxicity (Oral) 4, H302 CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-one <0.1% Acute Toxicity (Oral) 3, H301; Acute Toxicity (Dermal) 3, H311; Acute Toxicity (Inhalation) 2, H330; Skin Corrosion/Irritation 1B, H314; Aquatic Chronic 1,

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

H410 (M=100); (1) Skin Sensitisation 1A, H317

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected.

Skin Contact: May cause skin irritation. May cause an allergic skin reaction.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include unidentified potentially toxic gases.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away. Take care as spill may cause a slip hazard. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal.

(Contd. on page 3)

according to WHS Regulations

Print date: 17.08.2023 **Product** Revision date: 17.08.2023

Name: MAXISIL POOL

(Contd. of page 2)

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat and direct sunlight.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 870-08-6 dioctyltin oxide

WES STEL: 0.2 mg/m³ TWA: 0.1 mg/m³ as Sn, Sk: Note (g)

Engineering Controls:

Ensure adequate ventilation of the working area if the battery inner contents are exposed, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

Skin Protection:

Nitrile rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Paste

Colour: According to product specification

Odour: Characteristic

Odour Threshold:

pH-Value:

Melting point/freezing point:

Initial Boiling Point/Boiling Range:
Flash Point:

No information available
No information available
No information available
No information available

Flammability (solid, gas): Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

(Contd. on page 4)

according to WHS Regulations

Print date: 17.08.2023 **Product** Revision date: 17.08.2023

Name: MAXISIL POOL

(Contd. of page 3)

Relative Density:No information availableVapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Insoluble

Partition Coefficient (n-octanol/water): No information available **Viscosity:** No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use. **Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat and direct sunlight.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products: Unidentified potentially toxic gases.

11 Toxicological Information

Toxicity:

. Oxioity.			
LD50/LC50 Values:			
CAS: 870-08-6 dioctyltin oxide			
Oral	LD50	2,500 mg/kg (Rattus norvegicus (rat))	
CAS: 2653	CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-one		
Oral	LD50	550 mg/kg (Rattus norvegicus (rat))	
Dermal	LD50	4.22 mg/kg (Rattus norvegicus (rat))	
Inhalation	LC50/4 h	0.58 mg/l (Rattus norvegicus (rat))	

Acute Health Effects

Inhalation: No adverse health effects expected.

Skin: May cause skin irritation. May cause an allergic skin reaction.

Eye: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Based on classification principles, the classification criteria are not met.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

(Contd. on page 5)

according to WHS Regulations

Print date: 17.08.2023 **Product** Revision date: 17.08.2023

Name: MAXISIL POOL

(Contd. of page 4)

12 Ecological Information

Ecotoxicity:

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN NumberProper Shipping NameDangerous Goods ClassNot regulatedPacking Group:Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 17.08.2023

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 3: Acute toxicity – Category 3
Acute Toxicity (Oral) 4: Acute toxicity – Category 4
Acute Toxicity (Inhalation) 2: Acute toxicity – Category 2

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Skin Sensitisation 1A: Skin sensitisation, Hazard Category 1A

Toxic To Reproduction 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Print date: 17.08.2023 **Product** Revision date: 17.08.2023

Name: MAXISIL POOL

(Contd. of page 5)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Maxisil makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.